

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-233
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: NCR3.8V5FEN9 Displacement: 3.3 Liters (201 Cubic Inches)
3.8 Liters (232 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensor
Three-Way Catalyst
Exhaust Gas Recirculation
Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.39	7.0	0.4

The certification emission values for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.19	1.3	0.1

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 5th day of June, 1991.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

Manufacturer CHRYSLER CORPORATION Engine Family NCR3.8V5FEN9Pass Car X Lt-Duty Truck Med-Duty Vehicle Fuel Type GASOLINE
SOHC 3.3 (201)Engine Config. V/6 Liter (CID) 3.8 (232) Evaporative Family NCRVCExhaust ECS & Special Features (incl. CARB, MPI, etc.) TWC, HO₂S, EGR, SMPI
(Use abbreviations per SAE J1930 Jun88)Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-PT

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign.Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
A-1	ACDH41 ACDP41	A4	3500	S E E	4639494 4699024	4287179	4427631
.39/7.0/.4 3.3L	ACCS41		3625	A T T A C H M E N T			
	AYCS41		3750				
	AYCP41		3875				
A-2	ACCS41		3625		4639498 4699028		
.39/7.0/.4	AYCS41		3750				
3.8L	AYCP41		3875				

ATTACHMENT TO SDS PG. 1
OF EXECUTIVE ORDER A-9-233

VEHICLE MODELS / CARLINE

ENGINE FAMILY: NCR3.8V5FEN9
EXHAUST CONTROL SYSTEMS: TWC, HO2S, EGR, SMPI
EVAP. CONTROL SYSEYEM: CANISTER
ENGINE DISPLACEMENT: 3.3L / 3.8L

CARLINE	MODEL CODE
CHRYSLER NEW YORKER	ACCS41
CHRYSLER NEW YORKER 5th. AVE/ IMPERIAL	AYCP41
	AYCS41
DODGE DYNASTY	ACDH41
	ACDP41

HORSEPOWER CHART FOR THE FTP

1992		Chrysler Corporation													
NCR3.8V5FEM9		FAMILY TIRE USAGE													
VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GVW	A	C	TIRE USE	DESCRIPTION	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYN HP	TIRE F	PRES R
ACCS41	EGA DGL FW 3625			0	Y	STD	92 TKV			TAD	TZA	16.79	8.20	29	32
						OPT	92 TKL			TAD	TZA	16.79	8.20	29	29
						OPT	92 TKV			TAD	TZH	16.38	7.80	29	32
ACCS41	EGH DGL FW 3625		0	Y	STD	92 TKV			TAD	TZA	16.79	8.20	29	32	
					OPT	92 TKL			TAD	TZA	16.79	8.20	29	32	
					OPT	92 TKV			TAD	TZH	16.38	7.80	29	29	
ACDH41	EGA DGL FW 3500		0	Y	STD	92 TKV			TAD	TZA	16.59	8.10	29	29	
					OPT	92 TKL			TAD	TZA	16.59	8.10	29	29	
					OPT	92 TKV			TAD	TZH	16.18	7.70	29	29	
ACDP41	EGA DGL FW 3500		0	Y	STD	92 TKV			TAD	TZA	16.59	8.10	29	29	
					OPT	92 TKL			TAD	TZA	16.59	8.10	29	29	
					OPT	92 TKV			TAD	TZH	16.18	7.70	29	29	
AYCP41	EGA DGL FW 3875		0	Y	STD	92 TKL			TAD	TZA	17.15	8.60	29	32	
					OPT	92 TKV			TAD	TZH	16.18	7.70	29	29	
AYCS41	EGH 3875		0	Y	STD	92 TKL			TAD	TZA	17.15	8.60	29	29	
					OPT	92 TKV			TAD	TZH	16.18	7.70	29	29	
AYCS41	EGA DGL FW 3750		0	Y	STD	92 TKL			TAD	TZA	16.79	8.60	29	29	
					OPT	92 TKV			TAD	TZH	16.18	7.70	29	29	
AYCS41	EGH 3750		0	Y	STD	92 TKL			TAD	TZA	16.79	8.60	29	29	
					OPT	92 TKV			TAD	TZH	16.18	7.70	29	29	